

2.2 Area [ha]:

399.4

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

LU00	Luxembourg (Grand-Duché)
------	--------------------------

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3260			3.99		M	A	C	A	A
6430			0.43		M	B	C	B	B
6510			2.13		M	B	C	A	A
8150					P	A	B	A	A
8220			1.2		M	A	B	A	B
8230			0.08		M	A	B	A	B
9110			19.78		G	A	C	B	A
9130			1.6		G	C	C	C	C
9180			2.74		G	B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	Accipiter gentilis			p	1	1	p		M	C	B	C	B
B	A104	Bonasa bonasia			p				R	M	A	B	C	B
I	1078	Callimorpha quadripunctaria			p				R	M	B	B	C	A
F	1163	Cottus gobio			p				C	M	C	B	C	B

B	A236	Dryocopus martius			p				R	M	C	B	C	C
F	1096	Lampetra planeri			p				R	M	B	B	C	B
B	A074	Milvus milvus			r	1	3	i		M	C	B	C	B
P	1421	Trichomanes speciosum			p				R	P	B	B	B	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
M		Felis silvestris						P			X			
I		Onychogomphus forcipatus						P			X			
M		Plecotus austriacus						P			X			
P		Schistidium strictum						P			X			

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	2.47
N15	5.62
N10	0.75
N06	4.82
N14	11.3
N21	0.27
N22	0.2
N19	2.12
N16	51.79
N26	5.65
N23	2.35

N17	12.66
Total Habitat Cover	100

Other Site Characteristics

1.1 Situation Le site couvre la vallée et les versants de la Sûre entre Esch/Sûre et Dirbach. 1.2 Milieu physique Le substrat géologique est caractérisé par l'alternance des couches de l'Emsien inférieur composées des schistes dit de Stolzembourg, bien stratifiés avec de rares bancs de grès quartzeux et quartzophyllades et des couches du Siegenien supérieur, composées de schistes compacts, grossiers et mal stratifiés avec de rares bancs de grès argileux. Le versant est couvert par des sols limono-caillouteux à charge schisto-phylladeuse, non gleyifiés. Sur les fonds de vallées reposent les alluvions. 1.3 Occupation du sol Les versants de la vallée de la Sûre sont occupés par la forêt (3/4 de la surface du site). La forêt feuillue couvre 210 ha soit plus de 2/3 % des surfaces boisées essentiellement formées (90%) par des taillis de chênes. Les territoires agricoles, situé en fond de vallée et sur les pentes les moins abruptes, couvrent 18 % de la zone.

4.2 Quality and importance

Intérêts selon la directive "Habitats" Le site abrite 9 types d'habitats de l'annexe I. L'intérêt du site repose sur la présence des types d'habitats liés aux rochers siliceux. Ce site constitue également un couloir écologique reliant les sites 'Vallée supérieure de la Sûre - Lac du Barrage' (LU0001007) et 'Vallées de la Sûre, de la Wiltz, de la Clerve et de la Lellgerbaach' (LU0001006). La qualité de l'eau et l'état "naturel" de la Sûre sont indispensables pour la reproduction de plusieurs espèces de poissons, dont potentiellement le Saumon (*Salmo salar*), récemment réintroduit au Luxembourg. A noter également la présence d'une zone abritant l'espèce prioritaire *Callimorpha quadripunctaria*, qui trouve dans ce site et surtout dans le site voisin 'Vallées de la Sûre, de la Wiltz, de la Clerve et de la Lellgerbaach' (LU0001006) les conditions les plus intéressantes pour tout le pays. Intérêts selon la directive "Oiseaux" La zone est entièrement incluse dans la ZICO n° 3 (Région de la Haute Sûre).

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	B02.04		i
M	B02		i
M	A04		i
H	G02.08		i
M	A08		i
H	G01.01		i
L	F02.03		i
M	A03		i
H	K02.03		i
M	B01.02		i
M	A10.01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
L	F02.03		i
M	A04.02		i
M	B02		i

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

PIER, J., 1989; Les forêts alluviales au Luxembourg. Mémoire de professeur-stagiaire à l'école privée Fieldgen à Luxembourg: 189 p.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
LU05	84.1	LU07	9.4		

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
LU06	Vallée supérieure de la Sûre / Lac du barrage	/	
LU07	Région Kiischpelt	*	9.4
LU05	Naturpark Uewersauer	*	84.1
LU06	Vallées de la Sûre, de la Wiltz, de la Clerve et du Lellgerbaach	/	

designated at international level:

Type	Site name	Type	Cover [%]
Other	Vallée de la Haute-Sûre	*	9.1

5.3 Site designation (optional)

Règlement grand-ducal du 6 novembre 2009 portant désignation des zones spéciales de conservation.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: Kiischpelt Link: https://environnement.public.lu/dam-assets/documents/natur/natura2000/LU0001006-LU0001008-LU0002013.pdf
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

Principes de gestionLe site est caractérisé par la présence d'une végétation liée aux rochers siliceux. Les principes de gestion à y appliquer sont surtout un freinage de l'envahissement de ces milieux par des ligneux. Vu qu'il s'agit de milieux extrêmes, cette recolonisation ne se fait que très lentement et les interventions requises se limiteront au minimum nécessaire.L'amélioration de la qualité de l'eau devrait également être un but prioritaire pour ce site.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

LU.MDDI.LU0001008

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

--