

2.2 Area [ha]:

31.24

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

LU00	Luxembourg (Grand-Duché)
------	--------------------------

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
9130B			1.76		G	A	C	A	A
9160B			26.85		G	A	C	A	A

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A238	Dendrocopos medius			p	1	2	p		M	C	B	C	B
B	A235	Picus viridis			p	1	2	p		M	C	B	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N14	6.53
N26	3.11
N16	90.36
Total Habitat Cover	100

Other Site Characteristics

1.1 Situation Le massif forestier du « Ielboesch » est situé au Sud-ouest de la localité de Kehlen sur un versant de faible pente exposé au Nord-Est au Sud-Ouest. 1.2 Milieu physique L'altitude du massif forestier se situe entre 300m et 315m. Le substrat géologique est entièrement formé par les couches du Sinémurien inférieur et Lotharingien du Lias inférieur (li3- li4). La majorité du massif forestier repose sur des sols limono-caillouteux a charge schisto-phylladeuse à l'exception de la partie Nord-Ouest constituée par des sols limoneux peu caillouteux, non gleyifiés a modérément gleyifiés. 1.3 Occupation du sol La majorité (env. 90%) du massif forestier est occupée par la chênaie-charmaie à l'exception de la partie Nord-Ouest de la zone couverte par une hêtraie à mélisque (9130).

4.2 Quality and importance

L'intérêt majeur de la zone est la chênaie-charmaie âgée d'environ 160 années. Le caractère typique de la chênaie-charmaie n'est bien marqué que dans le bas de versant mais s'estompe progressivement vers la partie amont du massif qui s'apparente à une chênaie sessiliflore. Les étages arborescent et arbustif sont relativement peu diversifiés par rapport aux potentialités du site. A noter également la présence de plusieurs mardelles qui sont accompagnées d'un cortège floristique spécifique.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	B02.04		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

EFOR, 2001: Mise en oeuvre de la Directive européenne " Habitat " / Sites NATURA 2000; Prospection et évaluation de zones potentielles de l'habitat 9160 : Primulo-Carpinetum; Rapport non publié; Ministère de l'Environnement.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

Règlement grand-ducal du 6 novembre 2009 portant désignation des zones spéciales de conservation.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

Yes

Name: Massif forestier du Ielboesch

Link: <http://data.legilux.public.lu/file/eli-etat-adm-amin-2018-10-11-b3540-jo-fr-pdf.pdf>

No, but in preparation

No

6.3 Conservation measures (optional)

Favoriser les futaies mélangées (régulières ou irrégulières), étagées verticalement, avec maintien d'un mélange important, en nombre et recouvrement global, d'essences variées dans la strate arborescente (Erables, Charme, Merisier, Ormes, Alisier torminal, Aulne glutineux, Bouleau, Saule marsault et Tremble...) selon les variantes du type d'habitat, facilité par le dynamisme de régénération de la plupart de ces essences. Préservation des habitats et milieux intraforestiers associés (sources, ripisylves et forêts marécageuses, mardelles, ...) et des arbustes du sous-bois. Elargissement et diversification des lisières (favoriser arbustes spontanés et les fruitiers). Maintien des arbres morts et d'arbres à cavités. Délaissement en forêt d'arbres non exploitables et des rémanents de coupe. Création d'îlots de vieillissement. Éviter l'emploi d'engin lourd en dehors des chemins prévus. Limiter la présence des populations de gibier (sangliers, chevreuils) pouvant nuire à la régénération naturelle.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

LU.MDDI.LU0001073

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).