



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE LU0001074

SITENAME Massif forestier du Faascht

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

| | | |
|----------|---------------|-----------------------------|
| 1.1 Type | 1.2 Site code | Back to top |
| B | LU0001074 | |

1.3 Site name

Massif forestier du Faascht

| | |
|----------------------------|-----------------|
| 1.4 First Compilation date | 1.5 Update date |
| 2002-07 | 2021-12 |

1.6 Respondent:

Name/Organisation: Gilles Biver / Ministère de l'Environnement, du Climat et du Développement durable
Address: 4, Place de l'EuropeL-1499 Luxembourg
Email: gilles.biver@mev.etat.lu

1.7 Site indication and designation / classification dates

| | |
|--|--|
| Date site classified as SPA: | 0000-00 |
| National legal reference of SPA designation | No data |
| Date site proposed as SCI: | 2002-08 |
| Date site confirmed as SCI: | 2004-12 |
| Date site designated as SAC: | 2009-11 |
| National legal reference of SAC designation: | Règlement grand-ducal du 6 novembre 2009 portant désignation des zones spéciales de conservation.(Mém. A - 220 du 17 novembre 2009, p. 3834) |

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude
5.9461

Latitude
49.65

2.2 Area [ha]:

46.19

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

| NUTS level 2 code | Region Name |
|-------------------|--------------------------|
| LU00 | Luxembourg (Grand-Duché) |

2.6 Biogeographical Region(s)

Continental (100.0 %)

3. ECOLOGICAL INFORMATION**3.1 Habitat types present on the site and assessment for them**[Back to top](#)

| Annex I Habitat types | | | | | | Site assessment | | | | |
|-----------------------|----|----|------------|---------------|--------------|------------------|------------------|--------------|--------|--|
| Code | PF | NP | Cover [ha] | Cave [number] | Data quality | A B C D | A B C | | | |
| | | | | | | Representativity | Relative Surface | Conservation | Global | |
| 9160 | | | 39.25 | | G | B | C | B | A | |

- PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- Cover:** decimal values can be entered
- Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

| Species | | | | Population in the site | | | | | | Site assessment | | | | |
|---------|------|------------------------------------|---|------------------------|---|------|-----|------|------|-----------------|---------|-------|------|------|
| G | Code | Scientific Name | S | NP | T | Size | | Unit | Cat. | D. qual. | A B C D | A B C | | |
| | | | | | | Min | Max | | | | Pop. | Con. | Iso. | Glo. |
| B | A073 | Milvus migrans | | | r | | 1 | p | | G | C | B | C | B |
| M | 1323 | Myotis bechsteinii | | | r | 20 | 70 | i | P | G | C | B | C | B |
| M | 1324 | Myotis myotis | | | r | 10 | 50 | i | P | M | C | B | C | B |

- Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- NP:** in case that a species is no longer present in the site enter: x (optional)
- Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

| Species | | | | | Population in the site | | | | Motivation | | | | | |
|---------|------|----------------------------------|---|----|------------------------|-----|------|---------|---------------|---|------------------|---|---|---|
| Group | CODE | Scientific Name | S | NP | Size | | Unit | Cat. | Species Annex | | Other categories | | | |
| | | | | | Min | Max | | C R V P | IV | V | A | B | C | D |
| M | 1322 | Myotis nattereri | | | | | | P | X | | X | | | |

- Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- NP:** in case that a species is no longer present in the site enter: x (optional)
- Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

| Habitat class | % Cover |
|----------------------------|------------|
| N26 | 8.49 |
| N17 | 8.16 |
| N20 | 0.43 |
| N15 | 0.5 |
| N23 | 0.03 |
| N16 | 82.39 |
| Total Habitat Cover | 100 |

Other Site Characteristics

1.1 Situation Le massif forestier du « Faascht » est situé au Sud-est de la localité de Hagen sur un versant de faible pente d'exposition Est. 1.2 Milieu physique L'altitude du massif forestier se situe entre 310m et 325m. Le substrat géologique est entièrement formé par les couches du Sinémurien inférieur et Lotharingien du Lias inférieur (li3- li4). La majorité du massif forestier repose sur des sols limono-caillouteux à charge schisto-phylladeuse à l'exception de la partie Nord-Ouest constituée par des sols limoneux peu caillouteux, non gleyifiés à modérément gleyifiés. 1.3 Occupation du sol La majorité (env. 90%) du massif forestier est occupée par la chênaie-charmaie à l'exception de la partie Nord-Ouest de la zone couverte par une hêtraie à mélisque (9130).

4.2 Quality and importance

L'intérêt majeur de la zone est la chênaie-charmaie âgée d'environ 140 années. Le caractère typique de la chênaie-charmaie est assez bien marqué dans les parties aval ou peu pentues du massif. L'apparition de hêtres et de chênes sessiles dans les parties amont du massif réduit la typicité de ce PC. L'étage arborescent et arbustif sont bien diversifiés et la biodiversité est favorisée par la présence de bois mort sur pied et au sol. La forêt abrite deux espèces de chauves-souris de l'annexe II.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

| Negative Impacts | | | |
|------------------|------------------------------|-----------------------------|------------------------|
| Rank | Threats and pressures [code] | Pollution (optional) [code] | inside/outside [i o b] |
| M | B02.04 | | i |

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

| Positive Impacts | | | |
|------------------|-------------------------------|-----------------------------|-------------------------|
| Rank | Activities, management [code] | Pollution (optional) [code] | inside /outside [i o b] |

4.4 Ownership (optional)

4.5 Documentation

EFOR, 2001: Mise en oeuvre de la Directive européenne " Habitat " / Sites NATURA 2000; Prospection et évaluation de zones potentielles de l'habitat 9160 : Primulo-Carpinetum; Rapport non publié; Ministère de l'Environnement.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

Règlement grand-ducal du 6 novembre 2009 portant désignation des zones spéciales de conservation.

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

6.2 Management Plan(s):

An actual management plan does exist:

- | | |
|---|---|
| <input checked="" type="checkbox"/> Yes | Name: Massif forestier Faascht Link: http://data.legilux.public.lu/file/eli-etat-adm-amin-2018-10-11-b3537-jo-fr-pdf.pdf |
| <input type="checkbox"/> | No, but in preparation |
| <input type="checkbox"/> | No |

6.3 Conservation measures (optional)

Principes de gestionFavoriser les futaies mélangées (régulières ou irrégulières), étagées verticalement, avec maintien d'un mélange important, en nombre et recouvrement global, d'essences variées dans la strate arborescente (Erables, Charme, Merisier, Ormes, Alisier terminal, Aulne glutineux, Bouleau, Saule marsault et Tremble...) selon les variantes du type d'habitat, facilité par le dynamisme de régénération de la plupart de ces essences.Préservation des habitats et milieux intraforestiers associés (sources, ripisylves et forêts marécageuses, mardelles, ...) et des arbustes du sous-bois. Elargissement et diversification des lisières (favoriser arbustes spontanés et les fruitiers).Maintien d'arbres morts et d'arbres à cavités. Délaissage en forêt d'arbres non exploitables et des rémanents de coupe. Création d'îlots de vieillissement.Eviter l'emploi d'engin lourd en dehors des chemins prévus.Limiter la présence des populations de gibier (sangliers, chevreuils) pouvant nuire à la régénération naturelle.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

LU.MDDI.LU0001074

Map delivered as PDF in electronic format (optional)

- Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

| |
|--|
| |
|--|